

**FOOD PROCESSING SCALES**

**PORTION WEIGHER-WASHDOWN**

This washdown scale is ideal for portion control or checkweighing. Because of its heavy duty construction of water resistant ABS housing and stainless steel pan, it can withstand harsh industrial operations. It reads in grams, pounds, and pounds:ounces. Features include moisture detection desiccant inside, zero tracking, and fast reaction time. Pan size: 9.84" W x 8.46" D. Dimensions: 10.62" W x 5.7" H x 10.9" D. Power supply: Built-in rechargeable battery or external power adaptor (included). Shipping weight 9 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A150	DW-3000E	6 lb x 0.002 lb (3000 g x 1.0 g)	\$ 325.00
A151	DW-6000E	12 lb x 0.005 lb (6000 g x 2.0 g)	325.00
A152	DW-15KE	33 lb x 0.01 lb (15 kg x 0.005 kg)	325.00
A153	DW-30KE	66 lb x 0.02 lb (30 kg x 0.01 kg)	325.00
<b>Options</b>			
A010-1		RS232C Interface	95.00
A110-1		Secondary Rear Panel Mount Display	40.00

**PORTION SCALE**

This general purpose top loading scale is constructed of ABS housing and has a stainless steel pan. It gives you high accuracy in general purpose weighing with its 11,000 division models. It weighs in grams, lbs, and can function as a counting scale. The 1" LCD display is easy to see and read, and information simple to enter on the tactile keypad. Pan size: 9.84" W x 8.46" D. Dimensions: 10.62" W x 5.7" H x 10.9" D. Power supply: Built-in rechargeable battery or external power adaptor (included). Shipping weight 12 lbs. Warranty 12 months.



Rear Display

ORDER NO.	PART NO.	DESCRIPTION	PRICE
A160	DM-1100	1100 g x 0.1 g (38 oz x 0.005 oz)	\$ 295.00
A161	DM-3000	6 lb x 0.002 lb (3000 g x 1.0 g )	265.00
A162	DM-11K	24 lb x 0.002 lb (11 kg x 0.001 kg )	295.00
A163	DM-6000	12 lb x 0.005 lb (6000 g x 2.0 g)	265.00
A164	DM-15K	33 lb x 0.01 lb (15 kg x 0.005 kg)	265.00
A165	DM-30K	66 lb x 0.02 lb (30 kg x 0.01 kg)	265.00
<b>Options</b>			
A010-1		RS232C Interface	95.00
A110-1		Secondary Rear Panel Mount Display	40.00
A030-1		EL Backlight	40.00

# FOOD PROCESSING SCALES

## PORTION SCALE - NTEP APPROVED

This low profile, compact scale is constructed of ABS housing, has a stainless steel pan, and has overload/underload protection against positive and negative forces. The 1" LCD display can be seen from a wide viewing range and reads in grams and pounds. Features include auto zero tracking, automatic power save, and low battery indicator. Pan sizes: 11.8" W x 9.6" D, or all stainless steel pan 13.7" W x 11.1" D. Dimensions: 11.8" W x 4.6" H x 13.2" D, or with stainless steel pan 13.3" W x 5.3" H x 13.2" D. Power supply: Built-in rechargeable battery or external power adapter (included). Shipping weight 15 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A170	AM-3000	6 lb x 0.002 lb (3000 g x 1.0 g)	\$ 295.00
A171	AM-6000	12 lb x 0.005 lb (6000 g x 2.0 g)	295.00
A172	AM-15K	30 lb x 0.01 lb (15 kg x 0.005 kg)	295.00
A173	AM-30K	60 lb x 0.02 lb (30 kg x 0.01 kg)	295.00

### Options

A110-1	Secondary Rear Panel Mount Display	40.00
A030-1	EL Backlight	40.00

## PORTION WEIGHER SCALE

This general purpose toploading scale with its heavy duty construction and overload/underload stops will withstand harsh industrial operations. Has an ABS pan with stainless steel insert and ABS housing. The LCD 1" display with its wide viewing angle is easy to see and read. Uses less counter space because of its low profile, compact size. Reads in grams, pounds and pounds:ounces. Features include auto zero tracking, automatic power save, low battery indicator, and auto-calibration function. Has adjustable feet so the balance remains level on uneven working surfaces. Power source is 4 "D" batteries (not included) or external power adapter (included). Pan size: 9.84" W x 8.46" D. Dimensions: 9.4" W x 4.1" H x 11.2" D. Shipping weight 9 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A130	XM-1000	2.2 lb x 0.001 lb (1000 g x 0.5 g)	\$ 185.00
A131	XM-2000	4.4 lb x 0.002 lb (2000 g x 1.0 g)	185.00
A132	XM-4000	8.8 lb x 0.005 lb (4000 g x 2.0 g)	185.00
A133	XM-10K	22 lb x 0.01 lb (10,000 g x 5.0 g)	185.00
A134	XM-20K	44 lb x 0.02 lb (20,000 kg x 0.01 kb)	185.00

### Options

A130-1	Spirit Level	20.00
A130-4	Built-in 6 volt/4AAH Rechargeable Battery	19.50
A130-2	External Power Adapter	17.50
A030-1	EL Backlight	40.00
A110-1	Secondary Rear Panel Mount Display	40.00
A010-1	RS232C Interface	95.00
A130-3	Stainless Steel Pan Cover	23.00

## HANGING SCALE

These Indoor/Outdoor, \*NTEP approved COC #99-068, hanging scales fit all Produce, Food Handling and Hardware sales applications. Designed with built-in operator and customer convenience, anyone can operate these scales. Push button functions include: ON/OFF, lb/kg modes, re-zero and full tare function. When powered by batteries (4 "C" size) the scale will operate for approximately 250 hours nonstop. Using auto shutoff, the battery life will be greatly extended. Large LCD display 5 digit, 0.95 high are easy to read from all visible angles. A built-in safe overload feature (200% of rated scale capacity) increases the durability of this product. Power: 6 DC batteries, 120 VAC 50-60 Hz AC adapter. Overall size: 11.5"W x 13.7"Tall. Indicator size: 4.75"W x 7.3"H. Stainless Steel pan size: 11.5" approximate Dia. Approximate Ship Weight 12.5 lbs. (5 kg). Warranty 1 year.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
H470	HS-6*	Electronic Hanging Scale HS-5 lb x 0.005 lb (2.7 kg x 2 g)	\$ 325.00
H470-1	HS-15*	Electronic Hanging Scale HS-15 lb x 0.01 lb (6.8 kg x 5 g)	325.00
H470-2	HS-30*	Electronic Hanging Scale 30 lb x 0.02 lb (13.6 kg x 0.01 kg)	325.00
H470-3	HS-60	Electronic Hanging Scale 60 lb x 0.05 lb (27 kg x 0.02 kg) Not Legal For Trade	325.00
<b>OPTIONS</b>			
H470-10	HS-PAN	Electronic Hanging Scale Stainless Steel Pan and Support	100.00
H470-11	HS-AC	AC Adapter For Hanging Electronic Scale	35.50

## TARE OVER/UNDER SCALE

The TARE INC. all stainless steel mechanical OVER/UNDER scale is USDA Approved for use in all Federally Inspected food processing plants when used for weighing and checkweighing of commodities. Drench it. Soak it. Rinse it. Wash it. The TARE L-150 Scale is designed to take on even the wettest processing or packaging applications. All stainless steel construction helps assure longevity for this scale that simply can't be matched. This scale utilizes an even balance (1:1 ratio) lever. A lever fall of 1/4" permits fast checkweighing, a magnetic damper eliminates indicator oscillation to yield positive stop reading quickly. Charts are furnished in ounces (1 oz Over Under x 1/8 oz) or grams. Size: 17-1/2" H x 7" W x 18" L, standard 8" x 8" and 6" x 8" commodity pans. Approximate shipping weight 25 lbs. Minimum Order 10 pieces. Warranty 3 years.



ORDER NO.	DESCRIPTION	PRICE
L150-5	5 lb Capacity x 1/8 oz Over/Under Scale	\$ 1495.00
L150-10	10 lb Capacity x 1/8 oz Over/Under Scale	1495.00
L150-15	15 lb Capacity x 1/8 oz Over/Under Scale	1495.00
L150-20	20lb Capacity x 1/8 oz Over/Under Scale	1495.00

1 oz x 1/16 oz Available On 5 lb Scale – Contact Factory For Pricing

## SK BENCH SCALES

The SK Series NTEP approved bench scales are fast, accurate, and portable. They are ideal for many industrial applications such as shipping, checkweighing, and filling & mixing. These scales are perfect for wet foodservice environments such as restaurants, delis, wherever food is prepared or dispensed and accuracy is required. The 0.98" large backlighted LCD display, stainless steel platter and toggle switch between kg and lb, provide years of easy clean food processing. Power: 6 DC batteries, 120 VAC 50-60Hz AC adapter. Stainless Steel platform size: 9.05"W x 7.5"D, overall 9.6"W x 9.0"D x 5.3" H. Approximate Ship Weight 4 lbs. Warranty 2 years.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
H450	SK-1000	1000 g x 0.5 g (2.2 lbs x 0.001 lb)	\$ 230.00
H452	SK-2000	2000 g x 1 g (4.4 lbs x 0.002 lb)	230.00
H454	SK-5000	5000 g x 2 g (11 lbs x 0.005 lb)	230.00
H454-G	SK-5001	5000 g x 1 g (Grams Only) Non-NTEP	230.00
H456	SK-10K	10 kg x 5 g (22 lbs x 0.01 lb)	230.00
H458	SK-20k	20 kg x 10 g (44 lbs x 0.02 lb)	230.00
H457	SK-30k	30 kg x 20 g (66 lbs x 0.05 lb)	230.00
H459	SK2000Z	2000 g x 1 g (4.4 lb x 0.1 oz or 1/16 oz or .002 lb)	230.00
H459-1	SK5000Z	5000 g x 2g (11 lb x 0.1 oz or 1/8 oz)	230.00
H459-2	SK20K Z	20 kg x 10 g (44 lb x 0.02 lb or 1 oz)	230.00
<b>OPTIONS</b>			
K761-A	FV-05	AC Adapter (110V)	29.00
K761-B	FV-06	AC Adapter (220V)	49.00

## PORTION CONTROL SCALE

The PPC-200 Washdown Over/Under Checkweighing scale features high accuracy (0.05 oz at 5 lb.), portability, wireless design, and auto shutoff. This scale is perfectly suited for use in the poultry, seafoods, and meat processing industries. Large LCD display (5 digits) 0.9" high and stainless steel plater make this the most affordable washdown scale in the world with exceptional quality and features. Features: Push Button - On/Off, Net/Gross, Tare, Unit Toggle Switch; lb/kg or lbs/ounces. USDA Accepted, NTEP Approved COC 98-125A. Power: 9 Volt DC (6 "D" size batteries not included). Platform size 9.1" x 9.1". Overall Size: 9.8" Wide x 10.6" Deep x 6.9" High. Approximate Ship Weight 11 lbs. (5 kg). Warranty 1 year.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
H460	PPC-200W	4 lb x .002 lb (2 kg x .001 kg) (80 oz x 0.05 oz)	\$ 395.00
H460-1	PPC-200W	10 lb x .005 lb (4 kg x 0.002 kg) (160 oz x 0.1 oz)	395.00
H460-2	PPC-200W	20 lb x .01 lb (10 kg x 0.005 kg) (320 oz x 0.2 oz)	395.00
H460-3	PPC-200W	40 lb x .02 lb (20 kg x 0.01 kg) (800 oz x 0.5 oz)	395.00
<b>NOT LEGAL FOR TRADE</b>			
H460-5	PPC-200W	5 lb x .05 oz (2 kg x 0.001 kg)	395.00
H460-6	PPC-200W	10 lb x 0.1 oz (4 kg x 0.002 kg)	395.00
H460-7	PPC-200W	20 lb x 0.2 oz (10 kg x 0.005 kg)	395.00
H460-8	PPC-200W	50 lb x 0.5 oz (20 kg x 0.01 kg)	395.00

## RETAIL PRICE COMPUTING SCALES

The A&D SF Series NIST & USDA approved Price Computing Scale is engineered to meet point of sale requirements with efficiency. Ideal for delicatessens, meat stores, candy counters, cheese shops or anywhere anything is sold by the pound. The large fluorescent 5 digit weight display, 6 digit unit price display and 7 digit total price display can be viewed by both customer and operator. Key functions permit cumulative transactions, price and tare hold for pre-pack and grand total display. Programmable eight preset keys allow price data for fast-moving products to be quickly called up. All are user friendly operations that can be performed on this outstanding scale. Stainless Steel platter. Power: KA Series has AC 110 power only; the KB series has an AC adapter or batteries (6 "D" size not included). Size: platform 11.8" W x 11" D., Overall 18.3" W x 16.7" D x 18.1" H. Approximate Ship Weight 12.5 lbs. (5.7 kg). COC# 99076. Canadian AM 5329. Warranty 2 years.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
J900	SF-6KA	15 lb x 0.005 (6 kg x 2 g) VFD Display With Tower, AC Mains	\$495.00
J900-1	SF-15KA	30 lb x 0.01 (15 kg x 5 g) VFD Display With Tower, AC Mains	495.00
J900-2	SF-30KA	60 lb x 0.02 (30 kg x 10 g) VFD Display With Tower, AC Mains	495.00
J900-4	SF-6KB	15 lb x 0.005 (6 kg x 2 g) LCD Display With Tower, AC Adapter	455.00
J900-5	SF-15KB	30 lb x 0.01 (15 kg x 5 g) LCD Display With Tower, AC Adapter	455.00
J900-6	SG-30KA	60 lb x 0.05 (30 kg x 10 g) LCD Display With Tower, AC Adapter	455.00
J900-7	SF-6KC	15 lbs x .005 (6 kg x 2 g) VFD Display with Tower, AC Adapter	495.00
J900-8	SF-15KC	30 lbs x .01 (15 kg x 5 g) VFD Display with Tower, AC Adapter	495.00
J900-9	SF-30KC	60 lbs x .02 (30 kg x 10 g) VFD Display with Tower, AC Adapter	495.00
<b>OPTIONS</b>			
J900-03	SFG-03	RS232 Interface For Retail Price Computing Scale VFD & LCD Display With Tower	85.00
J900-10	SF-10	Stainless Steel Meat/Produce Pan For SF Retail Price Computing Scales	25.00
J900-11	TB:106	AC Adapter (110V) for SF-KB & AF-KC Models (Standard With Scale)	39.00
J900-12	TB:121	AC Adapter (220V) for SF-KB & SF-KC Models	49.00