

BALANCES

PRECISION BALANCE

These lightweight, portable balances provide all the power and functions of a full laboratory balance. LCD wide angle viewing display (0.5" high) with back light guides you every step of the way. It is constructed of ABS housing and has a stainless steel pan. Weighs in grams, oz, lb, ct, dram, gn(UK), ozt, dwt, mommes, and taels(China and Taiwan). Functions include percent, and counting. Auto power save extends battery life. Features include zero tracking, low battery indicator, auto-calibration function, and adjustable feet. Pan size is 4.33 inches in diameter. Base: 7.1" W x 4.9" H x 7.87" D. Power Supply: 4 x C type batteries (not included) or external power adapter (included). Dust cover. Shipping weight: 6 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A010	NJW-300	0.6 lb x 0.00005 lb (300 g x 0.01 g) (10.5 oz x 0.0005 oz)	\$ 375.00
A011	NJW-600	1.32 lb x 0.0001 lb (600 g x 0.02 g) (21.1 oz x 0.001 oz)	375.00
A012	NJW-1500	3.3 lb x 0.0002 lb (1500 g x 0.05 g) (52.8 oz x 0.002 oz)	375.00
A013	NJW-3000	6.6 lb x 0.0005 lb (3000 g x 0.1 g) (105 oz x 0.005 oz)	375.00
Options			
A010-1		RS232C Interface	95.00

LABORATORY BALANCE

These precise, portable, laboratory balances display weight in g, oz, and ct. Auto power save extends battery life while retaining memory. Has a two door access which protects against drafts, ensuring stability of reading, and an ergonomically designed draft shield. The wide viewing angle LCD display (0.75") with backlight can be seen from a wide viewing range, even in poor conditions. Power source: built-in rechargeable battery or external power adapter (included). Has a stainless steel pan with ABS housing and adjustable feet. Pan size is 4.33" in diameter. Dimensions: 8.6" W x 11" H x 8.8" D. Ship Weight 6 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A020	DB-300H	300 g x 0.01 g (10.58 oz x 0.0005 oz) (1500 ct x 0.05 ct)	\$ 395.00
A021	DB-600H	600 g x 0.02 g (21.16 oz x 0.001 oz) (3000 ct x 0.1 ct)	395.00

TOP LOADING SCALES

BALANCE - STAINLESS STEEL

This low profile, compact size balance has an all stainless steel housing and pan which makes it corrosion resistant and easy to clean. It is ideal for chemical, corrosive or harsh environments. It has a heavy duty construction and will withstand harsh industrial operations. Features include a counting function, a per cent function, zero tracking, and automatic power save. Power Source: built-in rechargeable battery which lasts a minimum of 150 hours or an external power adapter (included). The wide angle LCD display (0.75") can be seen from a wide viewing range. Weighs in grams, oz, lbs, ct, dram, gn, oz t, tael, and troy tael. Pan size: 5.9" in diameter. Dimensions: 9" W x 2.9" H x 12.2" D. Ship weight 10 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A030	HGS-300	0.65 lb x 0.00005 lb (300 g x 0.01 g)	\$ 495.00
A031	HGS-600	1.32 lb x 0.0001 lb (600 g x 0.02 g)	495.00
A032	HGS-1500	3.3 lb x 0.0002 lb (1500 g x 0.05 g)	495.00
A033	HGS-3000	6.6 lb x 0.0005 lb (3000 g x 0.1 g)	495.00
A034	HGS-6000	13.1 lb x 0.001 lb (6000 g x 0.2 g)	520.00
A035	HGS-15K	33 lb x 0.002 lb (15 kg x 0.5 g)	520.00
Options			
A030-1		EL Backlight	40.00

TOP LOADING SCALES

TOP LOADING SCALE - HIGH RESOLUTION

This high resolution top-loading scale has a waterproof tactile keypad and is sealed against the ingress of contaminants and foreign bodies. The wide viewing angle LCD display (0.86") has a wide viewing angle and allows highly accurate readings with ease. Weighs in grams and pounds:ounces. Features include auto zero tracking, automatic power save, low battery indicator, and auto-calibration. Has adjustable anti-slip feet so the balance remains level on uneven working surfaces. Size: 9.4" W x 4.1" H x 12.2" D. Pan size: 9.84" W x 8.26" D. Ship Weight 13 lbs. Warranty 12 months..



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A110	HGM-2000	4.4 lb x 0.002 lb (2000 g x 0.1 g)	\$ 450.00
A111	HGM-4000	8.8 lb x 0.0005 lb (4000 g x 0.2 g)	450.00
A112	HGM-10K	22 lb x 0.001 lb (10,000 g x 0.5 g)	450.00
A113	HGM-20K	44 lb x 0.002 lb (20 kg x 0.001 kg)	450.00
Options			
A030-1		El Backlight	40.00
A010-1		RS232C Interface	95.00
A110-1		Secondary Rear Panel Mount Display	40.00

TOP LOADING SCALE- INDUSTRIAL

This low profile, compact top-loading scale has a heavy duty construction that will withstand a harsh industrial operation. The large LCD display (1") makes the weight values easy to see from a distance which reduces mistakes. Weighs in grams and ounces. Features include auto zero tracking, automatic power save, low battery indicator, and auto-calibration function. Power source: built-in rechargeable battery or external power adapter (included). Size: 11.8" W x 4.6" H x 13.2" D. Pan size: 11.8" W x 9.6" D. Shipping weight 14.5 lbs Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A120	OM-3000	6.6 lb x 0.001 lb (3000 g x 0.5 g)	\$ 310.00
A121	OM-6000	13.2 lb x 0.002 lb (6000 g x 1.0 g)	31.000
A122	OM-12K	26.4 lb x 0.005 lb (12 kg x 0.002 kg)	310.00
A123	OM-30K	66 lb x 0.01 lb (30 kg x 0.005 kg)	310.00

OPTIONS

A010-1	RS232C Interface	95.00
A110-1	Secondary Rear Panel Mount Display	40.00
A030-1	EL Backlight	40.00

TOPLOADING SCALE - STAINLESS STEEL

This heavy duty all stainless steel toploading scale is easy to clean which makes it ideal for food processing and harsh industrial environments. With its sealed electronics, it can effectively resist water and dust. It can be used for various applications since it reads in grams, pounds, and pounds:ounces. Functions include accumulation function, zero tracking, low battery indicator, and auto-calibration function. The wide angle 0.75" LCD display can be seen from a wide viewing range. Pan size: 8.25" W x 8.25" D. Dimensions: 9.1" W x 3" H x 12.2" D. Power supply: Built-in rechargeable battery or external power adapter (included). Shipping weight 13 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A140	GS-1200	2.64 lb x 0.0005 lb (1200 g x 0.2 g)	\$ 405.00
A141	GS-3000	6.6 lb x 0.001 lb (3000 g x 0.5 g)	405.00
A142	GS-6000	13.2 lb x 0.002 lb (6000 g x 1.0 g)	405.00
A143	GS-12K	26.4 lb x 0.005 lb (12 kg x 0.002 kg)	405.00

Options

A030-1	El Backlight	40.00
A130-1	Spirit Level	20.00

A & D BALANCES

COMPACT PORTABLE

With a net weight of 2.5 lbs, this scale is extremely portable, compact, and accurate with 6000 divisions. The stainless steel pan and ABS housing make it ideal for numerous applications. It reads in grams and pounds:ounces. The 0.79" LCD display is visible from a wide viewing area. Pan size: 8" W x 5.1" D. Dimensions: 8" W x 2.3" H x 7.9" D. Power supply: 1 x 9 volt battery or external power adaptor (included). Shipping weight 7 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A180	MM-600	1 lb 5 oz x 0.01 oz (600 g x 0.1 g)	\$ 130.00
A181	MM-1200	2 lb 10 oz x 0.01 oz (1200 g x 0.2 g)	130.00
A182	MM-2000	4 lb 6 oz x 1/4 oz (2000 g x 1.0 g)	95.00
A183	MM-3000	6 lb 9.98 oz x 0.02 oz (3000 g x 0.5 g)	130.00
A184	MM-6000	13 lb 3.95 oz x 0.05 oz (6000 g x 1.0 g)	130.00

A & D BALANCES

A&D HR SERIES ANALYTICAL BALANCES

A&D HR Series Low Cost Analytical Semi-Micro Balances. Every unit weighs to a resolution of 0.1 mg. Units of measure: gram, milligram, decimal ounce, carat, pennyweight, troy ounce, grain, tola, tael, percentage, counting and comparator. Automatic calibration and durable construction ensure that every HR Series balance delivers consistently accurate results. Power requirements; 100/120/220/240 VAC 50/60 Hz. Size: 8.4" W x 12.6" D x 11.9" H. Chamber size: 7" W x 7.5" D x 8.6" H. Pan size: 3.3" dia. Approximate Ship Weight 12.5 lbs. Warranty 5 years.



ORDER NO.	PART NO.	CAPACITY	PRICE
K740	HR-60	60 g x 0.1 mg NTEP	\$ 1525.00
K742	HR-120	120 g x 0.1 mg	1925.00
K744	HR-200	210 g x 0.1 mg	2025.00
K746	HR-202i	51 g x 0.1 mg / 220 g x 0.01 mg Semi Micro Balance with R-232 C	3875.00
K748	HR-300i	320 g x 0.1 mg with RS-232C	3475.00
K740-C	HR-60-C	60 g x 0.1mg (w/RS232-C Interface Installed)	1625.00
K742-C	HR-120-C	120 g x 0.1 mg w/RS232-C Interface Installed)	2025.00
K744-C	HR-200-C	210 g x 0.1 mg w/RS232-C Interface Installed)	2125.00
OPTIONS (other options available-contact factory)			
K740-5	TB:123	Adapter (AC 220V)	49.00
K740-4	AD100-2	Antitheft Device	49.00
K740-6	TB:110C	Adapter (AC 120V) standard with unit	39.00
K740-7	CC:103E	Storage/Carrying Case	339.00

A&D GX SERIES TOPLOADER BALANCES

A&D GX Series will save you time with the self-calibration feature which self-calibrates automatically when the balance detects ambient temperature changes. With One Touch Automatic Calibration, you can calibrate the balance on-demand with just the push of a button. WinCT Software provides easy transmission of data to a computer using the RS232C interface. Features multiple weighing units (g, ct, dwt etc.), capacity indicator, and an exceptionally visible, bright blue vacuum fluorescent display. Standard large square weighing pan 5.04" x 5.04 " on all models with breeze break and 6." x 6.5" on all models without breeze break. Approximate Ship Weight 10-12 lbs. Warranty 5 years.



ORDER NO.	PART NO.	CAPACITY	PRICE
K710	GX-200	210 g x 0.001 g with Breeze Break	\$ 1575.00
K711	GX-400	410 g x 0.001 g with Breeze Break	1975.00
K712	GX-600	610 g x 0.001 g with Breeze Break	2345.00
K718	GX-800	810 g x 0.001 g with Breeze Break	2445.00
K719	CX-1000	1100 g x 0.001 g with Breeze Break	2575.00
K713	GX-2000	2100 g x 0.01g	1575.00
K714	GX-4000	4100 g x 0.01 g	2125.00
K715	GX-6100	6100 g x 0.01 g	2345.00
K716	GX-6000	6100 g x 0.1 g	1825.00
K717	GX-8000	8100 g x 0.1 g	1995.00
OPTIONS GX SERIES			
K710-1	GX-04	Comparator Output (Factory Installed)	170.00
K710-2	GX-06	Analog Output (Factory Installed)	301.00
K710-3	GX-10	Glass Breeze Break	254.00
K710-4	GX-13	Density Determination Kit (GX-200/400/600)	450.00
K711-1	GX-12	Animal Weighing Pan (certain models)	156.00

A&D GX-K SERIES TOPLOADER BALANCES

This balance is user-friendly and features internal calibration which saves time and the cost of an external calibration mass. Has the Data Memory Function, multiple weighing modes, and time/date built-in. RS-232C standard. Large weighing pan 10.62" x 8.26 ". Approximate Ship Weight 18 lbs. Warranty 5 years.



OK720-5RDER NO.	PART NO.	CAPACITY	PRICE
K720	GX-8K2	2.1 kg x 0.1 g (8.1 kg x 0.01 g)	\$ 2595.00
K721	GX-8K	8 kg x 0.01 g	2995.00
K722	GX-10K	10.1 kg x 0.01 g	3195.00
K723	GX-12K	12 kg x 0.1 g	2695.00
K724	GX-20K	20 kg x 0.1 g	2895.00
K725	GX-30K	30 kg x 0.1 g	3395.00
K726	GX-32K	6.1 kg x 1 g (31 kg x 0.1 g)	2595.00
Options			
K720-1	GX-07K	Waterproof Cable for RS-232C	275.00
K720-2	GXK-12	Animal Weighing Pan	595.00
K720-3	GXK-31	Draft Shield	99.00
K720-4		Protective In-Use Cover	17.00
	TB-123	AC Adapter (220V)	49.00

PHARMACY BALANCE

This Pharmacy Balance is Legal for Trade (NTEP) and is ideal for pill counting and compounding. It has one second response time and percentage counting functions. Breeze Break Included. Pan size 5.04" x 5.04". Power requirements, Approximate shipping weight pounds. Warranty 5 years.



ORDER NO.	PART NO.	CAPACITY	PRICE
K730	GF-200P	210 g x 0.001 g with Breeze Break	\$ 1195.00
K731	GF-300P	310 g x 0.001 g with Breeze Break	1295.00
ACCESSORIES			
K710-3	GX-10	Glass Breeze Break	254.00
K730-1		Protective In-Use Cover	17.00
K740-6	TB-110C	AC Adapter (120V) (standard with unit)	39.00
K730-2	TB-110CL	90 Degree Angle AC Adapter (120V)	39.00

WATER PROOF/DUST PROOF BALANCE

This balance is IP65 water proof/dust proof with a compact super Hybrid Sensor. It has multiple weighing units, comparator function, and standard RS-232 interface. Pan size: 5.12" with breeze break and 5.91" without breeze break. Power requirements, Approximate shipping weight pounds. Warranty 5 years.



ORDER NO.	PART NO.	CAPACITY	PRICE
K750	FX-120iWP	122 g x 0.001 g with breeze break	\$ 1245.00
K751	FX-200iWP	220 g x 0.001 g with breeze break	1295.00
K752	FX-300iWP	320 g x 0.001 g with breeze break	1395.00
K753	FX-1200iWP	1220 g x 0.01 g	1245.00
K754	FX-2000iWP	2200 g x 0.01 g	1295.00
K755	FX-3000iWP	3200 g x 0.01 g	1395.00
ACCESSORIES			
K750-1	FXi-02	USB Interface with cable (factory installed)	79.00
K750-2	FXi-08	Ethernet Interface with WinCt-Plus Software (factory installed)	449.00
K750-2	FXi-09	Built-in Rechargeable Battery (factory installed)	299.00
K750-4	FXi-WP-10	Small Breeze Break (gray), 3.4" high	69.00
K750-5	FXi-WP-11	Large Breeze Break (gray), 7.9" high	119.00
K750-6	FXi-12	Animal Weighing Pan	199.00

EXTERNAL CALIBRATION - GRAMS

This external calibration balance has Super Hybrid Sensor Technology and one-second response time. Comes standard with RS-232C interface and WinCT software. Clear VFD display. Pan size: 5.04" with breeze break and 6.5" without breeze break. Power requirements, Approximate shipping weight pounds. Warranty 5 years.



ORDER NO.	PART NO.	CAPACITY	PRICE
K760	GF-200G	210 g x 0.001 g with Breeze Break (3.6" high)	\$ 1095.00
K761	GF-300G	310 g x 0.001 g with Breeze Break (3.6" high)	1225.00
K762	GF-1200G	1210 g x 0.01 g	1045.00
K763	GF-2000G	2100 g x 0.01 g	1095.00
K764	GF-3000G	3100 g x 0.01 g	1225.00
K765	GF-6000G	6100 g x 0.1 g	1445.00